

## 1. Identification

**Product identifier** Carbon Steel

**Other means of identification**

**SDS number** 11459A

**Recommended use** Manufacture steel articles.

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**Company name** TimkenSteel Corporation

**Address** 1835 Dueber Avenue SW  
Canton, OH 44706 US  
US

**Telephone** (330) 471-3360

**E-mail** Not available.

**Contact person** TimkenSteel Security Department

**Emergency phone number** (330) 471-3360

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Sensitization, respiratory Category 1  
Sensitization, skin Category 1  
Carcinogenicity Category 2

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Warning

**Hazard statement** May cause an allergic skin reaction. Suspected of causing cancer.

**Precautionary statement**

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Take off contaminated clothing and wash it before reuse.

**Storage** Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name | CAS number | %  |
|---------------|------------|----|
| Carbon        | 7440-44-0  | <2 |
| Manganese     | 7439-96-5  | <2 |
| Chromium      | 7440-47-3  | <1 |

#### 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>   | Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.                                 |
| <b>Eye contact</b>  | Rinse with water. Get medical attention if irritation develops and persists.   |
| <b>Ingestion</b>  | Rinse mouth. Get medical attention if symptoms occur.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Dermatitis. Rash. May cause an allergic skin reaction.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| <b>General information</b>  | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse. |

#### 5. Fire-fighting measures

|  |   |
|--|---|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).                      |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.                        |
| <b>Specific hazards arising from the chemical</b>                    | During fire, gases hazardous to health may be formed.   |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| <b>Fire fighting equipment/instructions</b>                          | Move containers from fire area if you can do so without risk.                                 |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.    |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted.   |

#### 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.   |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.  |

#### 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).  |

#### 8. Exposure controls/personal protection

##### Occupational exposure limits

##### U.S. - OSHA

| Components             | Type | Value    |
|------------------------|------|----------|
| Carbon (CAS 7440-44-0) | TWA  | 15 mppcf |

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                | Type    | Value               | Form  |
|---------------------------|---------|---------------------|-------|
| Chromium (CAS 7440-47-3)  | PEL     | 1 mg/m <sup>3</sup> |       |
| Manganese (CAS 7439-96-5) | Ceiling | 5 mg/m <sup>3</sup> | Fume. |
| Nickel (CAS 7440-02-0)    | PEL     | 1 mg/m <sup>3</sup> |       |

## US. OSHA Table Z-3 (29 CFR 1910.1000)

| Components             | Type | Value                | Form                 |
|------------------------|------|----------------------|----------------------|
| Carbon (CAS 7440-44-0) | TWA  | 5 mg/m <sup>3</sup>  | Respirable fraction. |
|                        |      | 15 mg/m <sup>3</sup> | Total dust.          |

## US. ACGIH Threshold Limit Values

| Components               | Type | Value                 | Form                 |
|--------------------------|------|-----------------------|----------------------|
| Carbon (CAS 7440-44-0)   | TWA  | 2 mg/m <sup>3</sup>   | Respirable fraction. |
| Chromium (CAS 7440-47-3) | TWA  | 0.5 mg/m <sup>3</sup> |                      |
| Nickel (CAS 7440-02-0)   | TWA  | 1.5 mg/m <sup>3</sup> | Inhalable fraction.  |

## US. NIOSH: Pocket Guide to Chemical Hazards

| Components                | Type | Value                   | Form        |
|---------------------------|------|-------------------------|-------------|
| Carbon (CAS 7440-44-0)    | TWA  | 2.5 mg/m <sup>3</sup>   | Respirable. |
| Chromium (CAS 7440-47-3)  | TWA  | 0.5 mg/m <sup>3</sup>   |             |
| Manganese (CAS 7439-96-5) | STEL | 3 mg/m <sup>3</sup>     | Fume.       |
|                           | TWA  | 1 mg/m <sup>3</sup>     | Fume.       |
| Nickel (CAS 7440-02-0)    | TWA  | 0.015 mg/m <sup>3</sup> |             |

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

If contact is likely, safety glasses with side shields are recommended.

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves.

##### Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

### Appearance

#### Physical state

Solid.

#### Form

Solid.

#### Color

Silver to gray.

#### Odor

Odorless.

#### Odor threshold

Not available.

#### pH

Not available.

#### Melting point/freezing point

2795 °F (1535 °C)

#### Initial boiling point and boiling range

5432 °F (3000 °C)

|   |                 |
|---|-----------------|
| Flash point   | Not available.  |
| Evaporation rate                                    | Not applicable. |
| Flammability (solid, gas)                           | Not available.  |
| <b>Upper/lower flammability or explosive limits</b> |                 |
| Flammability limit - lower (%)                      | Not available.  |
| Flammability limit - upper (%)                      | Not available.  |
| Explosive limit - lower (%)                         | Not available.  |
| Explosive limit - upper (%)                         | Not available.  |
| Vapor pressure                                      | Not available.  |
| Vapor density                                       | Not available.  |
| Relative density                                    | ~7.9            |
| <b>Solubility(ies)</b>                              |                 |
| Solubility (water)                                  | Not available.  |
| Partition coefficient (n-octanol/water)             | Not available.  |
| Auto-ignition temperature                           | Not available.  |
| Decomposition temperature                           | Not available.  |
| Viscosity   | Not available.  |

## 10. Stability and reactivity

|                                    |   |
|------------------------------------|---|
| Reactivity                         | The product is stable and non-reactive under normal conditions of use, storage and transport. |
| Chemical stability                 | Material is stable under normal conditions.   |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use.                                   |
| Conditions to avoid                | Contact with incompatible materials.  |
| Incompatible materials             | Strong oxidizing agents.  |
| Hazardous decomposition products   | No hazardous decomposition products are known.  |

## 11. Toxicological information

### Information on likely routes of exposure

|              |  |
|--------------|--|
| Inhalation   | Prolonged inhalation may be harmful.                     |
| Skin contact | May cause an allergic skin reaction.                     |
| Eye contact  | Direct contact with eyes may cause temporary irritation. |
| Ingestion    | Expected to be a low ingestion hazard.                   |

**Symptoms related to the physical, chemical and toxicological characteristics**  
Dermatitis. Rash. May cause an allergic skin reaction.

### Information on toxicological effects

**Acute toxicity** Not classified.

| Components                       | Species  | Test Results          |
|----------------------------------|--|-----------------------|
| Carbon (CAS 7440-44-0)           |  |                       |
| <b>Acute</b>                     |  |                       |
| <i>Inhalation</i>                |  |                       |
| LC50                             | Rat  | > 2000 mg/m3, 4 hours |
| Manganese (CAS 7439-96-5)        |  |                       |
| <b>Acute</b>                     |  |                       |
| <i>Oral</i>                      |  |                       |
| LD50                             | Rat  | 9000 mg/kg            |
| <b>Skin corrosion/irritation</b> | Prolonged skin contact may cause temporary irritation. |                       |

|   |  |
|---|--|
| <b>Serious eye damage/eye irritation</b>                              | Direct contact with eyes may cause temporary irritation.   |
| <b>Respiratory or skin sensitization</b>                              |  |
| <b>Respiratory sensitization</b>                                      | Not available.   |
| <b>Skin sensitization</b>   | May cause an allergic skin reaction.   |
| <b>Germ cell mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>  | Suspected of causing cancer.   |
| <b>IARC Monographs. Overall Evaluation of Carcinogenicity</b>         |  |
| Chromium (CAS 7440-47-3)  | 3 Not classifiable as to carcinogenicity to humans.  |
| Nickel (CAS 7440-02-0)  | 2B Possibly carcinogenic to humans.  |
| <b>NTP Report on Carcinogens</b>                                      |  |
| Nickel (CAS 7440-02-0)  | Known To Be Human Carcinogen.<br>Reasonably Anticipated to be a Human Carcinogen.                                |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)</b> |  |
| Not listed.   |  |
| <b>Reproductive toxicity</b>  | This product is not expected to cause reproductive or developmental effects.                                     |
| <b>Specific target organ toxicity - single exposure</b>               | Not classified.  |
| <b>Specific target organ toxicity - repeated exposure</b>             | Not classified.  |
| <b>Aspiration hazard</b>  | Not available.   |
| <b>Chronic effects</b>  | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.                               |

## 12. Ecological information

|                                      |  |
|--------------------------------------|--|
| <b>Ecotoxicity</b>                   | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
| <b>Persistence and degradability</b> | No data is available on the degradability of this product.   |
| <b>Bioaccumulative potential</b>     | No data available.   |
| <b>Mobility in soil</b>              | No data available.   |
| <b>Other adverse effects</b>         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.            |

## 13. Disposal considerations

|  |  |
|--|--|
| <b>Disposal instructions</b>                 | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.                         |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.   |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>                | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.       |

## 14. Transport information

|   |                                   |
|---|-----------------------------------|
| <b>DOT</b>  | Not regulated as dangerous goods. |
| <b>IATA</b>   | Not regulated as dangerous goods. |
| <b>IMDG</b>   | Not regulated as dangerous goods. |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not applicable.                   |

## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

|                           |        |
|---------------------------|--------|
| Chromium (CAS 7440-47-3)  | LISTED |
| Manganese (CAS 7439-96-5) | LISTED |
| Nickel (CAS 7440-02-0)    | LISTED |

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** Yes

#### SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------|------------|----------|
| Manganese     | 7439-96-5  | <2       |
| Nickel        | 7440-02-0  | <1       |

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Chromium (CAS 7440-47-3)  
Manganese (CAS 7439-96-5)  
Nickel (CAS 7440-02-0)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### US. Massachusetts RTK - Substance List

Chromium (CAS 7440-47-3)  
Manganese (CAS 7439-96-5)  
Nickel (CAS 7440-02-0)

#### US. New Jersey Worker and Community Right-to-Know Act

Carbon (CAS 7440-44-0)  
Chromium (CAS 7440-47-3)  
Manganese (CAS 7439-96-5)  
Nickel (CAS 7440-02-0)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Chromium (CAS 7440-47-3)  
Manganese (CAS 7439-96-5)  
Nickel (CAS 7440-02-0)

#### US. Rhode Island RTK

Chromium (CAS 7440-47-3)  
Manganese (CAS 7439-96-5)  
Nickel (CAS 7440-02-0)

#### US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

#### US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Nickel (CAS 7440-02-0)


## International Inventories

| Country(s) or region        | Inventory name                                | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                    |

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

|                     |   |
|---------------------|---|
| Issue date          | 09-April-2015   |
| Revision date       | -   |
| Version #           | 01  |
| Further information | NFPA Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe     |
| NFPA ratings        |  |

### Disclaimer

TimkenSteel Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.